

**SECRET**

10147

IPO/OSB/M-35-65  
4 August 1965

MEMORANDUM FOR: Assistant for Plans and Development, NPIC

ATTENTION: Chief, Development Branch

SUBJECT: Requirement for Photographic Prints

1. A recent experience of the Photographic Analysis Group has provided evidence that an immediate capability for production of enlarged prints is necessary. This equipment should not be a sophisticated processor but rather a device that can be easily operated by the photo interpreter. A magnification of seven to ten would be required with a paper print that may or may not be permanent. Best described, this reproduction equipment should be of the "quick and dirty" type but have reasonably good image quality for interpretation purposes. Initial photo interpretation will, of course, be made from the duplicate positive transparency with the enlargement serving as a medium for additional information and/or confirmation of data.

2. It is understood that NRTSC now is using an enlarger which may be applicable for our purposes. Your investigation of this equipment or any other that can be utilized by the PAG would be appreciated.

25X1

Colonel, USA  
Assistant for Photographic Analysis, NPIC

## Distribution:

- 1 - Addressee
- 1 - Dev. Branch/P&DS
- 1 - IPO/OSB/PAG
- 1 - PAG/NPIC

DDR - NOT A  
DUPE

GROUP 1  
Excluded from automatic  
downgrading and  
declassification

**SECRET**

TELEPHONE OR VERBAL CONVERSATION RECORD (AR 340-15)				DATE 4 NOV 66	
		T OF CONVERSATION	GRADE GS 11	SERVICE NUMBER 25x1	
		OFFICE OR RELATIONSHIP PAG	TELEPHO	25x1	
INFORMATION GIVEN OR ACTION TAKEN					
<p>1. REGARDING ATTACHED MEMO -</p> <p>2. ITEM WOULD BE DEVELOPMENTAL - NOT OFF THE SHELF</p> <p>3. COST APPROX - [ ] 25x1</p> <p>4. DELVY SCHEDULE - DEVELOPMENT PROGRAM 9 MONTHS</p> <p>5. ADDITIONAL MODIFICATIONS COULD COST EXTRA</p> <p>6. THERE IS NO DRY POSITIVE TO POSITIVE PROJECTION PROCESS AVAILABLE TO THIS APPLICATION.</p> <p>7. NO FURTHER ACTION NECESSARY AT THIS TIME</p>					
CLERK TAKING CALL	TIME	SEARCHED BY	TIME	ANSWERED BY	TIME
DATE 4 Nov 66	S			25x1	

Approved For Release 2006/06/28 : CIA-RDP78B04770A002700020027-3

TRANSMITTAL SLIP		DATE
TO:		4 November
ROOM NO.	BUILDING	
55423		
REMARKS:		
FROM:		
PAG		
ROOM NO.	BUILDING	EXTENSION
35467		
FORM NO. 241 1 FEB 55		
REPLACES FORM 30-8 WHICH MAY BE USED.		
GPO: 1957 O-459445 (47)		

25X1

25X1

25X1

Approved For Release 2006/06/28 : CIA-RDP78B04770A002700020027-3